

Name _____

SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.

Solve.

- 1) The average value of a certain type of automobile was \$15,780 in 1995 and depreciated to \$5160 in 1998. Let y be the average value of the automobile in the year x , where $x = 0$ represents 1995. Write a linear equation that models the value of the automobile in terms of the year x . 1) _____

- 2) An investment is worth \$2100 in 1992. By 1995 it has grown to \$3615. Let y be the value of the investment in the year x , where $x = 0$ represents 1992. Write a linear equation that models the value of the investment in the year x . 2) _____

- 3) A faucet is used to add water to a large bottle that already contained some water. After it has been filling for 5 seconds, the gauge on the bottle indicates that it contains 22 ounces of water. After it has been filling for 11 seconds, the gauge indicates the bottle contains 46 ounces of water. Let y be the amount of water in the bottle x seconds after the faucet was turned on. Write a linear equation that models the amount of water in the bottle in terms of x . 3) _____


- 4) When making a telephone call using a calling card, a call lasting 5 minutes costs \$1.40. A call lasting 13 minutes costs \$3.00. Let y be the cost of making a call lasting x minutes using a calling card. Write a linear equation that models the cost of making a call lasting x minutes. 4) _____

- 5) In 1995, the average annual salary for elementary school teachers was \$24,269. In 2000, the average annual salary for elementary school teachers was \$28,148. Let y be the average annual salary in the year x , where $x = 0$ represents the year 1995.
- a) Write a linear equation that models the average annual salary for elementary school teachers in terms of year x .
- b) Use this equation to determine the average annual salary for elementary school teachers in 1998.
- 5) _____

Solve the problem.


- 6) Draw a scattergram of the given data. Find the equation of the line containing the points $(2.0, 8.1)$ and $(4.5, 2.9)$. Graph the line on the scattergram.
- 6) _____

| | | | | | |
|-----|-----|-----|-----|-----|-----|
| x | 1.2 | 2.0 | 3.0 | 3.8 | 4.5 |
| y | 9.5 | 8.1 | 5.7 | 4.6 | 2.9 |



- 7) Draw a scattergram of the given data. Find the equation of the line containing the points (2.1, 8.1) and (4.6, 3.1). Graph the line on the scattergram. 7) _____

| | | | | | |
|---|-----|-----|-----|-----|-----|
| x | 1.3 | 2.1 | 2.8 | 3.6 | 4.6 |
| y | 9.3 | 8.1 | 5.9 | 4.7 | 3.1 |



- 8) Given below are the winning times for the men's 100 meter Olympic freestyle for various years. 8) _____

| Year | Winning Times in Olympic 100 Meter Freestyle (in seconds) |
|-------|---|
| 1960 | 55.2 |
| 1964 | 53.4 |
| 1968 | 52.2 |
| 1972 | 51.22 |
| 1976 | 49.99 |
| 1980 | 50.4 |
| 1984. | 49.8 |
| 1988 | 48.63 |
| 1992 | 49.02 |
| 1996 | 48.74 |

(Source: The Universal Almanac)

Let W represent the winning time (in seconds) at t years since 1950. Using **Linear Regression** on your calculator, find an equation of a linear model to describe the data round values to the nearest hundredth.

Note: The answer to this exercise is: $y = -0.17x + 55.55$

Evaluate the function at the given value of x .

9) $f(x) = -6x - 4$, $f(0)$ 9) _____

10) $f(x) = 3x - 3$, $f(-\frac{1}{2})$ 10) _____

$$11) f(x) = 5x + 2, \quad f(a - 1)$$

$$11) \underline{\hspace{2cm}}$$

$$12) f(x) = 4 - 7x^2, \quad f(9)$$

$$12) \underline{\hspace{2cm}}$$

$$13) f(x) = \frac{x - 5}{10x - 6}, \quad f(-9)$$

$$13) \underline{\hspace{2cm}}$$

$$14) f(x) = \frac{x - 7}{2x + 12}, \quad f(-5)$$

$$14) \underline{\hspace{2cm}}$$

$$15) f(x) = \frac{x - 5}{9x - 14}, \quad f(-10)$$

$$15) \underline{\hspace{2cm}}$$

$$16) f(x) = \frac{x - 5}{4x + 8}, \quad f(-3)$$

$$16) \underline{\hspace{2cm}}$$

17) $f(x) = 5 - 9x^2$, $f(-4)$

17) _____

Find the x-intercept and y-intercept of the function.

18) $f(x) = 3x + 9$

18) _____

Solve the problem.

- 19) David recently switched to a long distance phone company which charges a monthly fee of \$8.45 plus \$0.08 per minute. Find a linear function $f(m)$ that expresses the monthly bill as a function of minutes used m .

19) _____

- 20) A company has just purchased a new computer for \$3600. The company chooses to depreciate the computer using the straight-line method over 3 years. A linear function that expresses the book value of the computer as a function of its age x is $f(x) = -1200x + 3600$. What is the book value of the computer after 2 years?

20) _____

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

Simplify the expression without using a calculator.

21) $(-7)^0$

A) 1

B) 0

C) -1

D) 7

21) _____

22) -11^0

A) 11

B) 0

C) -1

D) 1

22) _____

23) $\frac{6^{-8}}{6^{-5}}$

A) $\frac{1}{216}$

B) $-\frac{1}{216}$

C) -216

D) 216

23) _____

24) $\frac{1}{3^{-2}}$

A) $\frac{1}{9}$

B) $-\frac{1}{9}$

C) -9

D) 9

24) _____

Simplify the expression.

25) $5x^{-2}y^8$

A) $\frac{y^8}{5x^2}$

B) $\frac{5x^2}{y^8}$

C) $\frac{5y^8}{x^2}$

D) $\frac{5}{x^2y^8}$

25) _____

$$26) \frac{x^3y^{-7}}{z^{-4}}$$

26) _____

A) $\frac{x^3z^7}{y^4}$ B) $\frac{x^3z^4}{y^7}$ C) $\frac{y^7}{x^3z^4}$ D) $\frac{z^4}{x^3y^7}$

$$27) \frac{x^3y^{-6}}{z^{-3}}$$

27) _____

A) $\frac{x^3z^6}{y^3}$ B) $\frac{x^3z^3}{y^6}$ C) $\frac{z^3}{x^3y^6}$ D) $\frac{y^6}{x^3z^3}$

$$28) \frac{-72a^9b^{-6}}{8a^4b^{-11}}$$

28) _____

A) $\frac{-9}{a^5b^5}$ B) $\frac{-9a^5}{b^5}$ C) $\frac{-9b^5}{a^5}$ D) $-9a^5b^5$

$$29) \frac{12a^{13}b^{-2}}{3a^9b^{-8}}$$

29) _____

A) $\frac{4a^4}{b^6}$ B) $4a^4b^6$ C) $\frac{4}{a^4b^6}$ D) $\frac{4b^6}{a^4}$

$$30) \frac{4^{-5}x^{-3}y^4}{4^{-2}x^{-6}y^8} \quad 30) \underline{\hspace{2cm}}$$

$$A) \frac{x^3}{64y^4}$$

$$B) \frac{3x^3}{y^4}$$

$$C) \frac{1}{64x^6y^4}$$

$$D) \frac{64}{x^3y^4}$$

$$31) \frac{5^{-6}x^{-6}y^2}{5^{-3}x^{-9}y^4} \quad 31) \underline{\hspace{2cm}}$$

$$A) \frac{1}{125x^9y^2}$$

$$B) \frac{125}{x^3y^2}$$

$$C) \frac{3x^3}{y^2}$$

$$D) \frac{x^3}{125y^2}$$

$$32) \frac{6x^{-5}y^{-2}z^4}{2xy^{-2}z^{-4}} \quad 32) \underline{\hspace{2cm}}$$

$$A) \frac{x^6}{3z^8}$$

$$B) \frac{3z^8}{x^6}$$

$$C) \frac{x^8}{3z^8}$$

$$D) \frac{3x^6}{z^8}$$

$$33) \frac{8x^{-4}y^{-2}z^4}{2xy^{-2}z^{-4}} \quad 33) \underline{\hspace{2cm}}$$

$$A) \frac{x^5}{4z^8}$$

$$B) \frac{x^3}{4z^8}$$

$$C) \frac{4x^5}{z^8}$$

$$D) \frac{4z^8}{x^5}$$

$$34) (-7p^2)(-4p^4)$$

A) $-28p^6$

B) $28p^6$

C) $-28p^8$

34) _____

$$35) (-5x^3y^{-4})(2x^{-1}y)$$

A) $\frac{-10x^2}{y^3}$

B) $\frac{-10x^4}{y^5}$

C) $-10x^2y^5$

D) $\frac{-3x^2}{y^3}$

35) _____

$$36) (6b)^0$$

A) b

B) 6

C) 0

D) 1

36) _____

$$37) (x^8)^{-6}$$

A) $-x^{48}$

B) $-6x^8$

C) $-6x^{48}$

D) $\frac{1}{x^{48}}$

37) _____

$$38) (x^{-5})^{-4}$$

A) $\frac{1}{x^{20}}$

B) $-4x^{20}$

C) $-x^{20}$

D) x^{20}

38) _____

$$39) (35x^3y^4)^{-1}(5x^2y)^4$$

A) $\frac{125}{7}x^{-1}$

B) $\frac{625}{7}x^5$

C) $\frac{125}{7}x^5$

D) $\frac{625}{7}x^1$

39) _____

$$40) (5x^{-4}y^8z^{-3})^{-1}$$

A) $\frac{y^9}{-5x^5z^4}$

B) $\frac{x^4z^3}{-5y^{-8}}$

C) $\frac{x^4z^3}{5y^8}$

D) $\frac{y^9}{5x^5z^4}$

40) _____

$$41) \left(\frac{xy^4}{x^3y} \right)^{-2}$$

A) $\frac{1}{x^8y^{10}}$

B) $\frac{x^4}{y^6}$

C) $\frac{1}{x^5y^9}$

D) $\frac{y^6}{x^4}$

41) _____

$$42) \left(\frac{5x^{-3}}{8y^{-3}} \right)^{-1}$$

A) $\frac{5x^3}{8y^3}$

B) $\frac{8y^3}{5x^3}$

C) $\frac{5x^{31}}{8y^{31}}$

D) $\frac{8x^3}{5y^3}$

42) _____

43) $\left(\frac{8x^{-3}z^4}{2xz^{-4}} \right)^{-1}$ 43) _____

A) $\frac{x^4z^8}{4}$ B) $\frac{x^4}{4z^8}$ C) $\frac{x^2}{4z^8}$ D) $\frac{4x^4}{z^8}$

44) $\frac{1}{b^{-1}} + \frac{1}{c^{-1}}$ 44) _____

A) $-(b + c)$ B) $\frac{1}{b + c}$ C) $b + c$ D) $\frac{1}{(b + c)^{-1}}$

45) $((b^{-1})^{-1})^{-1}$ 45) _____

A) b^{-3} B) $\frac{1}{b}$ C) b D) $\frac{1}{b^3}$

Simplify the expression. Assume that n is a counting number.

46) $b(5n - 1)b(3n + 5)$ 46) _____

A) $b(2n + 4)$ B) $b(2n + 6)$ C) $b(8n + 4)$ D) $b(8n + 6)$

$$47) \frac{b(5n - 4)}{b(2n + 1)}$$

47) _____

A) $b(7n - 5)$

B) $b(3n + 5)$

C) $b(7n + 5)$

D) $b(3n - 5)$

Evaluate as specified.

48) For $f(x) = 4(2)^x$, find $f(3)$.

A) 8

B) 512

C) 24

D) 32

48) _____

49) For $g(x) = 5^x$, find $g(n + 3)$.

A) 125^n

B) $125(5^n)$

C) $5(5^n)$

D) $125 + 5^n$

49) _____

50) For $g(x) = 3^x$, find $g(n + 2)$.

A) $9(3^n)$

B) $9 + 3^n$

C) 9^n

D) $3(3^n)$

50) _____

51) For $g(x) = 3^x$, find $g(n + 3)$.

A) $3(3^n)$

B) 27^n

C) $27 + 3^n$

D) $27(3^n)$

51) _____

52) For $g(x) = 5^x$, find $g(n + 2)$.

A) 25^n

B) $25(5^n)$

C) $25 + 5^n$

D) $5(5^n)$

52) _____

53) For $g(x) = 3^x$, find $g(2n)$.

A) $9 + 3^n$

B) $9(3^n)$

C) 9^n

D) $2(3^n)$

53) _____

54) For $g(x) = 3^x$, find $g(3n)$.

A) 27^n

B) $27(3^n)$

C) $3(3^n)$

D) $27 + 3^n$

54) _____

55) For $g(x) = 5^x$, find $g(2n)$.

A) $25(5^n)$

B) 25^n

C) $2(5^n)$

D) $25 + 5^n$

55) _____

56) For $g(x) = 5^x$, find $g(3n)$.

A) $125(5^n)$

B) 125^n

C) $3(5^n)$

D) $125 + 5^n$

56) _____

57) For $f(x) = 5(2)^x$, find $f(-3)$.

A) $\frac{5}{8}$

B) $\frac{1}{8}$

C) -1000

D) $\frac{1}{1000}$

57) _____

58) For $f(x) = \left(\frac{1}{3}\right)^x$, find $f(3)$.

A) $\frac{1}{9}$

B) -27

C) $\frac{1}{27}$

D) 1

58) _____

59) For $f(x) = \left(\frac{1}{3}\right)^x$, find $f(-3)$.

A) $\frac{1}{27}$

B) 27

C) -9

D) $-\frac{1}{27}$

59) _____

Write the number in standard decimal form.

60) 6.39×10^4

A) 6390

B) 255.6

C) 639,000

D) 63,900

60) _____

61) 1.97×10^{-4}

A) -197,000

B) 0.000197

C) 0.00197

D) 0.0000197

61) _____

- 62) 8.895×10^{-5}
A) 0.000008895

B) 0.0008895

C) 0.00008895

D) -889,500

62) _____

- 63) 4×10^{-2}
A) 0.04

B) 40

C) 400

D) 0.4

63) _____

Write the number in scientific notation.

- 64) 8760
A) 8.76×10^1

B) 8.76×10^4

C) 8.76×10^{-3}

D) 8.76×10^3

64) _____

- 65) 15,000,000
A) 1.5×10^7

B) 1.5×10^6

C) 1.5×10^{-7}

D) 1.5×10^{-6}

65) _____

- 66) 0.000622
A) 6.22×10^{-3}

B) 6.22×10^4

C) 6.22×10^{-5}

D) 6.22×10^{-4}

66) _____

Answer Key

Testname: QUIZ 2PREPARATION CH 2.1, 2.2, 2.3, & 4.1V02

1) $y = -3540x + 15,780$

2) $y = 505x + 2100$


3) $y = 4x + 2$

4) $y = 0.2x + 0.4$

5) a) $y = 775.8x + 24,269$


b) \$26,596.40

6)



$$y = -2.08x + 12.26$$

7)



$$y = -2x + 12.3$$

8) $W = -0.17t + 55.55$; Answers may vary.

9) -4

10) $-\frac{9}{2}$

11) $5a - 3$

12) -563

13) $\frac{7}{48}$

14) -6

15) $\frac{15}{104}$

16) 2

17) -139

Answer Key

Testname: QUIZ 2PREPARATION CH 2.1, 2.2, 2.3, & 4.1V02

18) x-intercept: $(-3, 0)$

y-intercept: $(0, 9)$

19) $f(m) = 0.08m + 8.45$

20) 1200.00

21) A

22) C

23) A

24) D

25) C

26) B

27) B

28) D

29) B

30) A

31) D

32) B

33) D

34) B

35) A

36) D

37) D

38) D

39) C

40) C

41) B

42) D

43) B

44) C

45) B

46) C

47) D

48) D

49) B

50) A

51) D

52) B

53) C

54) A

55) B

56) B

57) A

58) C

59) B

60) D

61) B

62) C

63) A

64) D

65) A

66) D