Determine whether the given function is even, odd, or neither.

1)
$$f(x) = 2x^2 + 2$$

2)
$$f(x) = 4x^2 + 3$$

3)
$$f(x) = -2x^5 + 2x^3$$

4)
$$f(x) = -8x^5 + 3x^3$$

5)
$$f(x) = -5x^4 - 6x - 2$$

6)
$$f(x) = -5x^4 - 8x + 4$$

7)
$$f(x) = 9$$

8)
$$f(x) = 4$$

9)
$$f(x) = \frac{1}{x^2}$$

10)
$$f(x) = \frac{x}{x^2 - 4}$$

10) _____

11)
$$f(x) = \frac{x}{x^2 - 2}$$

11) _____

12)
$$f(x) = \frac{-x^3}{5x^2 + 4}$$

12) _____

13)
$$f(x) = \frac{-x^3}{4x^2 + 2}$$


13) _____

14) _____

Use the graph of the function to find the following: a. the domain and range of the function; b. the intercepts, if any; c. the intervals on which the function is increasing, decreasing, or is constant; d. whether the function is even, odd, or neither.


16)






17)









18) _____

19)





20) _____

Find the requested value.

21) Find f(5) for
$$f(x) = \begin{cases} 8, & \text{if } x < 1 \\ -8, & \text{if } x > 1 \end{cases}$$

21) _____

22) Find f(8) for
$$f(x) = \begin{cases} 10, & \text{if } x < 1 \\ -10, & \text{if } x > 1 \end{cases}$$

22) _____

23) Find f(7) for
$$f(x) = \begin{cases} 5, & \text{if } x < 2 \\ -5, & \text{if } x > 2 \end{cases}$$

23) _____

24) Find
$$f(-4)$$
 for $f(x) = \begin{cases} 6x, & \text{if } x \le -1 \\ x - 3, & \text{if } x > -1 \end{cases}$

$$f(x) = \begin{cases} 8x, & \text{if } x \le -1 \\ x - 8, & \text{if } x > -1 \end{cases}$$

$$f(x) = \begin{cases} 6x, & \text{if } x \le -1 \\ x - 2, & \text{if } x > -1 \end{cases}$$

$$f(x) = \begin{cases} x - 4, & \text{if } x < 9 \\ 8 - x, & \text{if } x \ge 9 \end{cases}$$

28) Find f(0) for
$$f(x) = \begin{cases} x - 6, & \text{if } x < 7 \\ 9 - x, & \text{if } x \ge 7 \end{cases}$$

$$f(x) = \begin{cases} x - 9, & \text{if } x < 2 \\ 8 - x, & \text{if } x \ge 2 \end{cases}$$


Graph the function.


30)
$$f(x) = \begin{cases} 3 & \text{if } x > -3 \\ -3 & \text{if } x \le -3 \end{cases}$$



31)
$$f(x) = \begin{cases} 8 & \text{if } x > -1 \\ -8 & \text{if } x \le -1 \end{cases}$$


$$\begin{array}{c} & & & \\ &$$





37)
$$f(x) = \begin{cases} |x| & \text{if } x \le -1 \\ x^2 & \text{if } x > -1 \end{cases}$$






38)
$$f(x) = \begin{cases} |x| & \text{if } x \le 3 \\ x^2 & \text{if } x > 3 \end{cases}$$

$$\begin{array}{c} & & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & \\ & & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & \\ & & & \\ & & \\ & & & \\ & & \\ & & & \\ & & \\ & & & \\$$


39)
$$f(x) = \begin{cases} |x| & \text{if } x \le 2\\ x^2 & \text{if } x > 2 \end{cases}$$






40)
$$f(x) = \begin{cases} x^3 & \text{if } x \le 1 \\ 3\sqrt{x} & \text{if } x > 1 \end{cases}$$






41)
$$f(x) = \begin{cases} x^3 & \text{if } x \le -1\\ \sqrt[3]{x} & \text{if } x > -1 \end{cases}$$






43)
$$f(x) = \begin{cases} x^2 & \text{if } -2 < x \le 3 \\ x & \text{if } x > 3 \end{cases}$$







45)
$$f(x) = \begin{cases} |x| & \text{if } x \le 0 \\ x^2 & \text{if } 0 < x \le 2 \end{cases}$$



Find the average rate of change of the function as x changes from a to b.

46)
$$f(x) = -4x + 7$$
; $a = 1$, $b = 4$

47)
$$g(x) = 4x - 7$$
; $a = 4$, $b = 3$

48)
$$h(x)=2x^2$$
; $a=1$, $b=5$

49)
$$f(x) = x^2 - 5$$
; $a = 1$, $b = 4$

50)
$$g(x) = 3 - x^2$$
; $a = -1$, $b = 4$

51)
$$h(x) = (8 - x)^2$$
; $a = 1$, $b = 6$

52)
$$g(x) = (x - 1)^2$$
; $a = 4$, $b = 8$

53)
$$f(x) = -x^3$$
; $a = -1$, $b = 4$

53) _____

54)
$$h(x) = \frac{3}{x}$$
; $a = -2$, $b = 3$

54) _____

55)
$$g(x) = \frac{1}{x+2}$$
; $a = 3$, $b = 8$

55) _____

Compute $\frac{f(x+h) - f(x)}{h}$ (h \neq 0) for the given function.

56)
$$f(x) = 3x - 6$$

56) _____

57)
$$f(x) = 4x - 8$$

57) _____

58)
$$f(x) = 5x^2 + 9x$$

58)

59)
$$f(x) = 5x^2 + 6x$$

59) _____

$$60) f(x) = \frac{1}{3x}$$

61)
$$f(x) = \frac{1}{9x}$$

Solve the problem.

62) If an object is dropped off of a tower, the velocity, V, of the object after t seconds can be obtained by multiplying t by 32 and adding 10 to the result. Express V as a linear function of t.

62) _____

63) If an object is dropped from a tower, then the velocity, V (in feet per second), of the object after t seconds can be obtained by multiplying t by 32 and adding 10 to the result. Find V as a linear function of t, and use this function to evaluate V(3.1), the velocity of the object at time t=3.1 seconds.

53) _____

64) Assume that the sales of a certain appliance dealer are approximated by a linear function. Suppose that sales were \$5500 in 1982 and \$57,000 in 1987. Let x = 0 represent 1982. Find the equation giving yearly sales S(x).

64) _____

65) The charges for renting a moving van are \$60 for the first 30 miles and \$7 for each additional mile. Assume that a fraction of a mile is rounded up. Find a symbolic representation for a function f that computes the cost of driving the van x miles, where $0 < x \le 100$. (Hint: express f as a piecewise–constant function.) Then, determine the cost of driving the van 91 miles.

65) _____

66) Sketch a graph showing the mileage that a person is from home after x hours if that individual drives at 27.5 mph to a lake 55 miles away, stays at the lake 1.5 hours, and then returns home at a speed of 55 mph.

67) The table lists the average composite scores on a national entrance exam for selected years.

	1982			1988			
Score	122.7	131.5	131.5	129.5	133.9	132.0	130.0

Make a line graph of the data. If the graph represents a piecewise-linear function f, find a symbolic representation for the piece of f located on the interval [1984, 1986].

67) _____

68) The table lists the average composite scores on a national entrance exam for selected years.

Evaluate f(1987).

69) In Country X, the average hourly wage in dollars from 1945 to 1995 can be modeled by

$$f(x) = \begin{cases} 0.072(x-1945) + 0.38 & \text{if } 1945 \le x < 1970 \\ 0.181(x-1970) + 3.02 & \text{if } 1970 \le x \le 1995 \end{cases}$$

Use f to estimate the average hourly wages in 1950, 1970, and 1990.

Describe the transformations that produce the graph of g from the graph of f.

70)
$$f(x) = |x|$$
; $g(x) = -2|x|$

71)
$$f(x) = |x|$$
; $g(x) = -6|x|$

72)
$$f(x) = \sqrt{x}$$
; $g(x) = -\sqrt{x+2}$

73)
$$f(x) = \sqrt{x}$$
; $g(x) = -\sqrt{x+4}$

74)
$$f(x) = x^2$$
; $g(x) = (x - 7)^2 - 3$

75)
$$f(x) = x^2$$
; $g(x) = (x - 9)^2 - 8$

75) _____

76)
$$f(x) = x^3$$
; $g(x) = -7x^3 + 9$

76) _____

77)
$$f(x) = x^3$$
; $g(x) = -10x^3 + 5$

77) _____

78)
$$f(x) = \frac{1}{x}$$
; $g(x) = \frac{3}{x} + 5$

78) _____

79)
$$f(x) = \frac{1}{x}$$
; $g(x) = \frac{10}{x} + 7$

79) _____

80)
$$f(x) = \frac{1}{x}$$
; $g(x) = \frac{1}{x+8} - 9$

80) _____

81)
$$f(x) = \frac{1}{x}$$
; $g(x) = \frac{1}{x + 10} - 7$

81) _____


82)
$$f(x) = x^2$$
; $g(x) = -(x - 1)^2 + 2$

83)
$$f(x) = x^2$$
; $g(x) = -(x - 3)^2 + 6$

Graph the function by starting with a function from the library of functions and then using the techniques of shifting, compressing, stretching, and/or reflecting.

84)
$$g(x) = x^2 - 3$$





Write an equation for a function whose graph fits the given description.

- 85) The graph of $f(x) = x^2$ is vertically stretched by a factor of 10, and the resulting graph is reflected across the x-axis.
- 85) _____
- 86) The graph of $f(x) = x^2$ is vertically stretched by a factor of 7, and the resulting graph is reflected across the x-axis.
- 86) _____

87) The graph of $f(x) = x^2$ is shifted 10 units to the left and 8 units downward.

87) _____

88) The graph of $f(x) = x^2$ is shifted 7 units to the left and 2 units downward.

89) The graph of $f(x) = x^2$ is shifted 4 units to the left. This graph is then vertically stretched by 89) a factor of 6 and reflected across the x-axis. Finally, the graph is shifted 7 units downward.



90) The graph of $f(x) = x^2$ is shifted 2 units to the left. This graph is then vertically stretched by 90) _____ a factor of 6 and reflected across the x-axis. Finally, the graph is shifted 7 units downward.



91) The graph of $f(x) = x^2$ is shifted 2 units to the left. This graph is then vertically shrunk by a factor of $\frac{1}{6}$ and reflected across the x-axis. Finally, the graph is shifted 8 units downward.



92) The graph of $f(x) = x^2$ is shifted 3 units to the left. This graph is then vertically shrunk by a factor of $\frac{1}{6}$ and reflected across the x-axis. Finally, the graph is shifted 7 units downward.




- 93) The graph of f(x) = |x| is vertically stretched by a factor of 7, and the resulting graph is reflected across the x-axis.
- 94) The graph of f(x) = |x| is vertically stretched by a factor of 2, and the resulting graph is reflected across the x-axis.
- 95) The graph of f(x) = |x| is reflected across the y-axis. This graph is then vertically stretched by a factor of 2.0. Finally, the graph is shifted 9 units downward.
 - 95) _____
- 96) The graph of f(x) = |x| is reflected across the y-axis. This graph is then vertically stretched 96) by a factor of 2.3. Finally, the graph is shifted 9 units downward.

- 97) The graph of f(x) = |x| is reflected across the y-axis and vertically shrunk by a factor of $\frac{2}{5}$. 97) ______ This graph is then reflected across the x-axis. Finally, the graph is shifted 4 units upward.
- 98) The graph of f(x) = |x| is reflected across the y-axis and vertically shrunk by a factor of $\frac{1}{5}$. 98) ______ This graph is then reflected across the x-axis. Finally, the graph is shifted 2 units upward.
- 99) The graph of $f(x) = \sqrt{x}$ is shifted 4 units to the right.
- 100) The graph of $f(x) = \sqrt{x}$ is shifted 2 units to the right.
- 101) The graph of $f(x) = \sqrt{x}$ is shifted 10 units to the left and then shifted 8 units upward.
- 102) The graph of $f(x) = \sqrt{x}$ is shifted 2 units to the left and then shifted 9 units upward.
- 103) The graph of $f(x) = x^4$ shifted right 2 units and up 8 units.
- 104) The graph of $f(x) = x^4$ shifted right 4 units and up 3 units.

Graph the function by starting with a function from the library of functions and then using the techniques of shifting, compressing, stretching, and/or reflecting.


105)
$$g(x) = (x - 2)^2 - 3$$






106)
$$g(x) = -2(x+4)^2 + 3$$






107)
$$g(x) = -3|x|$$








108)
$$g(x) = \frac{1}{4} |x + 5| - 4$$












111)
$$g(x) = -\sqrt{x+2} + 2$$






Graph the function y = g(x), given the graph of y = f(x).

112)
$$g(x) = 2f(x)$$





Write the new function.

- 113) The linear function f(x) = 243x + 6320 provides an approximation of the annual cost (in dollars) to rent an apartment at the Leisure Village Retirement Community, where x = 1 represents 1988, x = 2 represents 1989, and so on. Write a new function, g(x), that yields the same f(x)-values when the exact year number is entered.
- 113) _____


- 114) The linear function f(x) = 244x + 6320 provides an approximation of the annual cost (in dollars) to rent an apartment at the Leisure Village Retirement Community, where x = 1 represents 1978, x = 2 represents 1979, and so on. Write a new function, g(x), that yields the same f(x)-values when the exact year number is entered.
- 114) _____


115)	The linear function $f(x) = 231x + 6320$ provides an approximation of the annual cost (in	115)	
	dollars) to rent an apartment at the Leisure Village Retirement Community, where $x = 1$ represents 1974, $x = 2$ represents 1975, and so on. Write a new function, $g(x)$, that yields the same $f(x)$ -values when the exact year number is entered.		
116)	The linear function $f(x) = 80.29x + 1147$ provides an approximation of the value (in dollars) of an account opened on January 1, 1992, in the amount of \$1147 and earning 7% simple interest, where $x = 0$ represents January 1, 1992, $x = 1$ represents January 1, 1993, $x = 2$ represents January 1, 1994, and so on. Write a new function, $g(x)$, that yields the same $f(x)$ -values when the exact year number is entered.	116)	
117)	The linear function $f(x) = 82.95x + 1185$ provides an approximation of the value (in dollars) of an account opened on January 1, 1988, in the amount of \$1185 and earning 7% simple interest, where $x = 0$ represents January 1, 1988, $x = 1$ represents January 1, 1989, $x = 2$ represents January 1, 1990, and so on. Write a new function, $g(x)$, that yields the same $f(x)$ -values when the exact year number is entered.	117)	
118)	The linear function $f(x) = 461x + 3420$ provides an approximation of the annual cost (in dollars) of health insurance for a family of three, where $x = 1$ represents 1984, $x = 2$ represents 1985, and so on. Write a new function, $g(x)$, that yields the same $f(x)$ -values when the exact year number is entered.	118)	
119)	The linear function $f(x) = 459x + 3420$ provides an approximation of the annual cost (in dollars) of health insurance for a family of three, where $x = 1$ represents 1987, $x = 2$ represents 1988, and so on. Write a new function, $g(x)$, that yields the same $f(x)$ -values when the exact year number is entered.	119)	

Graph the function y = g(x), given the graph of y = f(x).


120)
$$g(x) = -\frac{1}{2}f(x)$$









121) g(x) = f(2x)











123) g(x) = -2f(x + 1) - 3




123) _____

124) $g(x) = \frac{1}{2}f(x-1) + 3$










Answer Key


Testname: E3PREP_PART1_3.3TO3.4_V01


- 1) Even
- 2) Even
- 3) Odd
- 4) Odd
- 5) Neither
- 6) Neither
- 7) Even
- 8) Even
- 9) Even
- 10) Odd
- 11) Odd
- 12) Odd
- 13) Odd
- 14) Even
- 11) EVCI
- 15) Even
- 16) a. Domain: (-∞, ∞); Range: [-3:3]
 - b. x-intercept: 0; y-intercept: 0
 - c. constant on $(-\infty, -3)$, decreasing on (-3, -2), increasing on (-2, 2), constant on $(2, \infty)$
 - d. Neither even nor odd.
- 17) a. Domain: (-∞, ∞); Range: [0:4]
 - b. x-intercept: 0; y-intercept: 0
 - c. constant on $(-\infty, -1)$, decreasing on (-1, 0), increasing on (0, 3), constant on $(3, \infty)$
 - d. Neither even nor odd.
- 18) a. Domain: $(-\infty, \infty)$; Range: $[-2, \infty)$
 - b. x-intercepts: 0, 6; y-intercept: 0
 - c. decreasing on $(-\infty, 3)$, increasing on $(3, \infty)$
 - d. Neither even nor odd.
- 19) a. Domain: [-2, ∞); Range: [-2, ∞)
 - b. x-intercepts: $-\frac{3}{2}$, 2, 4; y-intercept: 2
 - c. increasing on (-2, -1), constant on (-1, 1), decreasing on (1, 3), increasing on $(3, \infty)$
 - d. Neither even nor odd.
- 20) a. Domain: [0, 12]; Range: [1:6]
 - b. x-intercept: none; y-intercept: 1
 - c. increasing on (0, 5), decreasing on (5, 12)
 - d. Neither even nor odd.
- 21) 8
- 22) -10
- 23) -5
- 24) 24
- 25) 8
- 26) -42
- 27) -4
- 28) -6
- 29) -9
















-8 · -6 · -4 · -2 · · · · -2 · · · · · · -2

















- 46) -4
- 47) 4
- 48) 12
- 49) 5
- 50) -3
- 51) -9
- 52) 10
- 53) -13
- 54) $\frac{1}{2}$
- 55) $-\frac{1}{50}$
- 56) 3
- 57) 4
- 58) 10x + 5h + 9
- 59) 10x + 5h + 6
- $60)\,\frac{-1}{3x\,(x+h)}$
- $61)\,\frac{-1}{9x\,(x+h)}$
- 62) V(t) = 32t + 10
- 63) V(3.1) = 109.2 ft/sec
- 64) S(x) = 10,300x + 5500
- 65) $f(x) = \begin{cases} 60 & \text{if } 0 < x \le 30 \\ 60 + 7(x 30) & \text{if } 30 < x \le 100 \end{cases}$; \$487



67) $f(x) = 131.5 \text{ if } 1984 \le x \le 1986$



- 68) 131.7
- 69) \$0.74, \$3.02, \$6.64
- 70) Stretch vertically by a factor of 2. Reflect it across the x-axis.
- 71) Stretch vertically by a factor of 6. Reflect it across the x-axis.
- 72) Shift 2 units to the left. Reflect it across the x-axis.
- 73) Shift 4 units to the left. Reflect it across the x-axis.
- 74) Shift 7 units to the right and 3 units downward.
- 75) Shift 9 units to the right and 8 units downward.
- 76) Stretch vertically by a factor of 7. Reflect it across the x-axis. Shift it 9 units upward.
- 77) Stretch vertically by a factor of 10. Reflect it across the x-axis. Shift it 5 units upward.
- 78) Stretch vertically by a factor of 3. Shift it 5 units up.
- 79) Stretch vertically by a factor of 10. Shift it 7 units up.
- 80) Shift it 8 units to the left and 9 units down.
- 81) Shift it 10 units to the left and 7 units down.
- 82) Shift it 1 units to the right. Reflect it across the x-axis. Shift it 2 units up.
- 83) Shift it 3 units to the right. Reflect it across the x-axis. Shift it 6 units up.



85)
$$f(x) = -10x^2$$

86)
$$f(x) = -7x^2$$

87)
$$y = (x + 10)^2 - 8$$

88)
$$y = (x + 7)^2 - 2$$

89)
$$y = -6(x + 4)^2 - 7$$

90)
$$y = -6(x + 2)^2 - 7$$

91)
$$y = -\frac{1}{6}(x+2)^2 - 8$$

92)
$$y = -\frac{1}{6}(x+3)^2 - 7$$

93)
$$y = -7|x|$$

94) $y = -2|x|$

94)
$$y = -2|x|$$

95)
$$f(x) = 2.0 |-x| - 9$$

96)
$$f(x) = 2.3 - x - 9$$

97)
$$y = -\frac{2}{5}|-x| + 4$$

98)
$$y = -\frac{1}{5}|-x| + 2$$

99)
$$y = \sqrt{x - 4}$$


100)
$$y = \sqrt{x-2}$$


101)
$$f(x) = \sqrt{x + 10} + 8$$

102)
$$f(x) = \sqrt{x+2} + 9$$


103)
$$y = (x - 2)^4 + 8$$


104)
$$y = (x - 4)^4 + 3$$











- 113) g(x) = 243(x 1987) + 6320
- 114) g(x) = 244(x 1977) + 6320
- 115) g(x) = 231(x 1973) + 6320
- 116) g(x) = 80.29(x 1992) + 1147
- 117) g(x) = 82.95(x 1988) + 1185
- 118) g(x) = 461(x 1983) + 3420
- 119) g(x) = 459(x 1986) + 3420
- 120)

